

Greenbone Support Package

Technical Documentation



Greenbone
Sustainable Resilience



About this document

This technical documentation describes the contents of the Greenbone Support Package as created by Greenbone OS version 4.2.

Such packages collect various information about the system state and system logs and are meant to help the Greenbone Support Team or even the Greenbone Development Team to troubleshoot a problem.

The Greenbone Support Package can be created via the GOS administration as described in the User Manual: <http://docs.greenbone.net/GSM-Manual/gos-4/en/systemadministration.html#advanced>

The created package is a zip archive file that at user's option is either encrypted with the public GPG key owned by the Greenbone Support Team or it is unencrypted for the user to review and strip-down prior to a submission to Greenbone Support Team.

This documentation describes the content of the zip archive files and provides hints on where to find which type of information. It is the user's choice or customer's policy which pieces of information are regarded sensible and thus removed or anonymized.

Environment-specific information

Most parts from the journal log and the status of any services are in the Greenbone Support Package. Some logs may contain information that are specific to the customer environment like IP addresses:

Passwords:

No passwords are included in the support package

IP and/or MAC may occur in the following files:

- gsm-backup/ssh_known_host
- gsm-feed (Ips about ftp server)
- gsm-greenbone-security-assistant/greenbone-security-assistant.journal (Login attempts)
- gsm-logging/auth.log (Login attempts)
- gsm-network/interfaces.d/*
- gsm-network/resolv.conf
- gsm-master/ssh_config (Sensor IPs)
- gsm-masster/sensor_ports.tsv (sensor ports with IPs)
- gsm-sshd/ssh-journal (Login attempts)
- gsm-timesyncd (IPs about timeserver)

Commands executed as admin user:

gsm-cli-admin/.bash_history

Commands executed as root user:

gsm-cli-admin/sudo-journal



Content of Greenbone Support Package

The following list shows the contents of each folder in the package. The folders correspond to the respective modules and the modules are in alphabetical order. There are up to five sections for a module:

- Files: The files that are copied 1:1 into the package.
- Journal: Excerpt from the journal log for the module. The applied filter command is provided.
- Service status: The status of a service at the time the package was created.
- Command output: The executed shell commands whose output is redirected into the file `commands.txt`.
- Included information: Description text about the nature and topic of the contents.

For a better understanding, all commands used for gathering information are provided as well. All directly copied files into the support package are also listed here.

gos-ansible

- o Files
 - `/var/log/gos-ansible.log`
- o Included information
 - Status of configuration files and processes

gos-state-manager

- o Journal
 - `state_migration` (Command: `journalctl --output=json SYSLOG_IDENTIFIER=state_migration`)
- o Command output
 - `gos-state-manager dump beautify`
- o Included information
 - Logs about migration (Result message)
 - Selected GOS state values, i.e. contents of `/opt/greenbone/valuable/system/gos-state/state` on the GSM are written to `commands.txt`. **By default, any sensitive data is filtered out.** To include more (potentially helpful) data the GOS state `support_package_policy` may be set via admin shell with: `set support_package_policy [strict|moderate|complete] && save`. The default is `strict`.

strict: like moderate, but also exclude network information like IPs, hostnames
moderate: exclude sensitive data like user names, passwords, keys
complete: will contain all variables

greenbone-sourcefire-connector

- o Journal
 - `greenbone-sourcefire-connector-journal` (Command: `journalctl --output=json SYSLOG_IDENTIFIER=greenbone-sourcefire-connector`)



greenbone-verinice-connector

- o Journal
 - verinice-connector-journal (Command: **journalctl --output=json SYSLOG_IDENTIFIER=verinice-connector**)

greenbone-vfire-connector

- o Journal
 - vfire-connector-journal (Command: **journalctl --output=json SYSLOG_IDENTIFIER=vfire-connector**)

gsm-backup

- o Files
 - /etc/obnam.conf
 - /etc/cron.daily/10-gsm-backup
 - /var/lib/gsm-backup/ssh_known_host
- o Journal
 - gsm-backup (Command: **journalctl --output=json SYSLOG_IDENTIFIER=gsm-backup**)
 - gsm-restore (Command: **journalctl -output=json SYSLOG_IDENTIFIER=gsm-restore**)
 - usb-backup (Command: **journalctl -output=json SYSLOG_IDENTIFIER=usb-backup**)
 - usb-restore (Command: **journalctl -output=json SYSLOG_IDENTIFIER=usb-restore**)
 - obnam (Command: **journalctl -output=json SYSLOG_IDENTIFIER=obnam**)
- o Included information
 - timestamps of started and finished backup service
 - list of files to backup

gsm-cli-admin

- o Files
 - /home/admin/.bash_history
- o Journal
 - pyspatch (Command: **journalctl --output=json SYSLOG_IDENTIFIER=pyspatch**)
 - root-command (Command: **journalctl --output=json SYSLOG_IDENTIFIER=root-command**)
 - sudo (Command: **journalctl --output=json SYSLOG_IDENTIFIER=sudo**)
- o Included Information
 - all commands executed as admin user
 - all commands executed as root user
 - actions done in GOS menu
 - selfcheck results



gsm-feed

- o Files
 - /opt/greenbone/feed/plugins/plugin_feed_info.inc
 - /opt/greenbone/valuable/system/gsm-feed/gsf-access-key (First line only)
- o Journal
 - feed_check (Command: **journalctl --output=json SYSLOG_IDENTIFIER=feed_check**)
 - greenbone-feed-sync (Command: **journalctl --output=json SYSLOG_IDENTIFIER=greenbone-feed-sync**)
 - FTP-Airgap (Command: **journalctl --output=json SYSLOG_IDENTIFIER=FTP-Airgap**)
 - airgap_usb (Command: **journalctl --output=json -u airgap_usb**)
- o Included information
 - timestamps of feed_check
 - feed info (name, home, vendor)
 - plugin info (set, feed)

gsm-flash

- o Journal
 - greenbone-flash-sync (Command: **journalctl --output=json SYSLOG_IDENTIFIER=greenbone-flash-sync**)
 - gsm-flash (Command: **journalctl --output=json SYSLOG_IDENTIFIER=gsm-flash**)
- o Included information
 - flash feed download information
 - flash image existence
 - flashing status
 - error messages if something failed

gsm-greenbone-security-assistant

- o Files
 - /etc/command-wrapper/greenbone-security-assistant.conf
 - /etc/openvas/gsad_log.conf
- o Service status
 - gsa (Command: **systemctl -l status greenbone-security-assistant**)
- o Journal
 - greenbone-security-assistant (Command: **journalctl --output=json -u greenbone-security-assistant**)
- o Included information
 - timestamps about start stop of service
 - error messages
 - authentication logs with username and ip
 - status of tasks



gsm-grub

- o Files
 - /etc/default/grub
 - /proc/cmdline
- o Included information
 - boot entries
 - kernel boot parameter

gsm-lcd (LCD display daemon)

- o Files
 - /etc/LCDd.conf
 - /etc/lcdproc.conf
- o Service status
 - LCDd (Command: **systemctl -l status LCDd**)
 - lcdproc (Command: **systemctl -l status lcdproc**)
 - gsm-lcd-client (Command: **systemctl -l status gsm-lcd-client**)
 - lcd-emergency (Command: **systemctl -l status lcd-emergency**)
- o Journal
 - LCDd (Command: **journalctl --output=json -u LCDd**)
 - lcdproc (Command: **journalctl --output=json -u lcdproc**)
 - gsm-lcd-client (Command: **journalctl --output=json -u gsm-lcd-client**)
 - lcd-emergency (Command: **journalctl --output=json -u lcd-emergency**)
- o Included information
 - start stop of service

gsm-logging

- o Files
 - /var/log/install.log.gz (only the first ten lines)
- o Journal
 - syslog-ng (Command: **journalctl --output=json -u syslog-ng**)
 - systemd-journald (Command: **journalctl --output=json -u systemd-journald**)
 - auth.log (Command: **journalctl --output=json SYSLOG_FACILITY=10**)
- o Service status
 - syslog-ng (Command: **systemctl -l status syslog-ng**)
 - systemd-journald (Command: **systemctl -l status systemd-journald**)
- o Included information
 - login and logout messages
 - executed commands
 - timestamps about start stop of service
 - `install.log.gz.txt` contains the initial commands executed at the start of the GSM installation to set the variables for HDD environment, EFI and LVM.



gsm-master

- o Files
 - /var/lib/gsm-master/known_hosts
 - /var/lib/gsm-master/ssh_config
 - /var/lib/openvas/sensor_ports.tsv
- o Service status
 - gmp-slave[s|@*]
- o Journal
 - gmp-slave[s|@*] (Command: **journalctl --output=json -u gmp-slaves**)
 - ssh-feed-push-journal (Command: **journalctl --output=json SYSLOG_IDENTIFIER=ssh-feed-push**)
- o Included information
 - connection details to the slaves
 - sync info messages to the slaves
 - ssh_config with sensor ips
 - sensor_ports.tsv file with sensor ports and ips

gsm-network

- o Files
 - /etc/systemd/network/*
 - /etc/network/interfaces.d/*
 - /etc/network/interfaces
 - /etc/resolv.conf
 - /run/systemd/resolve/resolv.conf
 - /etc/systemd/resolved.conf
 - /etc/sysctl.d/ipv6.conf (Configuration about ipv6)
- o Service status
 - systemd-networkd (Command: **systemctl -l status systemd-networkd**)
 - networking (Command: **systemctl -l status networking**)
 - expertnet (Command: **systemctl -l status expertnet**)
- o Journal
 - systemd-networkd (Command: **journalctl --output=json -u systemd-networkd**)
 - networking (Command: **journalctl --output=json -u networking**)
 - expertnet (Command: **journalctl --output=json -u expertnet**)
- o Included information
 - interfaces (dhcp|static network settings per interface)
 - name server configuration
 - dns

gsm-openvas-manager

- o Files
 - /etc/openvas/openvasmd_log.conf
 - /etc/command-wrapper/openvas-manager.conf



- o Journal
 - openvasmd (Command: **journalctl --output=json SYSLOG_IDENTIFIER=openvasmd**)
 - greenbone-scapdata-sync (Command: **journalctl --output=json SYSLOG_IDENTIFIER=greenbone-scapdata-sync**)
 - greenbone-certdata-sync (Command: **journalctl --output=json SYSLOG_IDENTIFIER=greenbone-certdata-sync**)
 - postgres (Command: **journalctl --output=json SYSLOG_IDENTIFIER=postgres**)
- o Service status
 - openvas manager daemon (Command: **systemctl -l status openvasmd**)
 - postgresql (Command: **systemctl -l status postgresql**)
- o Included informationen
 - manager configuration
 - database logging (failed queries)
 - manager logging (migration)

gsm-openvas-scanner

- o Files
 - openvassd.messages, openvassd.messages.1
 - openvassd.dump, openvassd.dump.1
 - /etc/command-wrapper/openvas-scanner.conf
 - /etc/openvas/openvassd.conf
- o Journal
 - openvas-scanner (Command: **journalctl --output=json -u openvas-scanner**)
 - greenbone-nvt-sync (Command: **journalctl --output=json SYSLOG_IDENTIFIER=greenbone-nvt-sync**)
 - redis-server (Command: **journalctl --output=json -u redis-server**)
- o Service status
 - openvas-scanner (Command: **systemctl -l status openvas-scanner**)
 - redis-server (Command: **systemctl -l status redis-server**)
- o Included information
 - nvt sync log
 - openvassd configuration files
 - openvassd status

gsm-sensor

- o Files
 - fd/etc/ssh/sshd.d/00-sensor-port.conf
 - /etc/ssh/sshd.d/sensor.conf
 - /var/lib/gsm-sensor/authorized_keys



gsm-setup

- o Files
 - /opt/greenbone/valuable/system/gsm-setup/stop
- o Included information
 - GOS setup wizard status

gsm-sshd

- o Files
 - /etc/ssh/sshd_config
- o Journal
 - ssh (Command: **journalctl --output=json -u ssh**)
- o Service status
 - sshd (Command: **systemctl -l status sshd**)
- o Included information
 - ssh server daemon configuration file
 - login attempts
 - status about feed sync

gsm-support

- o Journal
 - kernel (Command: **journalctl --output=json SYSLOG_IDENTIFIER=kernel**)
- o Included information
 - all related information from the kernel
 - hardware information

gsm-system

- o Journal
 - system (Command: **journalctl --output=json SYSLOG_IDENTIFIER=system**)
- o Command output
 - **date**
 - **uptime**
 - **journalctl --list-boots**
 - **ps --forest -ewwo **
 user,pid,pcpu,pmem,vsz,rss, tty, stat, lstart, cputime, args
 - **top -n 1 # just for header summary**
 - **vmstat -s**
 - **vmstat -D**
 - **vmstat -d**
 - **df -h**
 - **du -h --max-depth=1 / 2>/dev/null**
 - **du -h --max-depth=2 /root 2>/dev/null**
 - **du -h --max-depth=2 /opt/greenbone 2>/dev/null**
 - **du -h --max-depth=2 /var/log**
 - **du -h --max-depth=3 /tmp**



- `ls -lah /tmp/`
- `ls -lah /var/log/openvas/`

For PostgreSQL GSMs as root:

- `du -h --max-depth=1 /var/lib/postgresql/9.4/main/base/`

For SQLite GSMs:

- `ls -lah /var/lib/openvas/mgr`

- o Included information
 - general system information about boots, logins, processes, and disk usage

gsm-timesync

- o Files
 - `/etc/systemd/timesyncd.conf`
- o Journal
 - `systemd-timesyncd`
- o Service status
 - `systemd-timesyncd`

gsm-upgrade

- o Files
 - `/etc/apt/sources.list`
 - `/var/log/apt/*`
 - `/etc/apt/sources.list.d/*`
- o Journal
 - `greenbone-apt-sync` (Command: `journalctl --output=json SYSLOG_IDENTIFIER=greenbone-apt-sync`)
 - `gsm-upgrade` (Command: `journalctl --output=json SYSLOG_IDENTIFIER=gsm-upgrade`)
- o Command output
 - `gsmctl info gsm-info.version`
 - `gsmctl info gsm-info.patch`
 - `gsmctl info gsm-upgrade.next`
 - `gsmctl info gsm-upgrade.synced_version`
 - `gsmctl info gsm-upgrade.reboot_pending`
 - `gsmctl info gsm-upgrade.failed`
 - `gsmctl info gsm-system.status`
 - `gsmctl info gsm-feed.age`
 - `dpkg -l`
- o Included information
 - the current GOS version and system status
 - list of all installed packages and their versions
 - history about the installed packages
 - package installation results
 - package source configuration file



gsm-userdata-import

- o Journal
 - userdata-import (Command: `journalctl --output=json SYSLOG_IDENTIFIER=userdata-import`)
- o Included information
 - migration import results
 - backup import results

gvmcg

- o Included information
 - system performance graphs as shown in Web-UI under *Extras* → *Performance* for intervals 2h, 1d and 7d